

Author Index

Abe, H., see Sekiguchi, M. (92) 31
Aibara, Y., see Morimoto, T. (92) 77
Al-Mohanna, F.A., see Amato, A. (92) 101
Amato, A., Al-Mohanna, F.A. and Bolsover,
S.R.

Spatial organization of calcium dynamics in growth cones of sensory neurones (92) 101 Anderson, L.L., see Pearson, P.L. (92) 125 Armstrong, A.M., see Brunjes, P.C. (92) 219

Balaban, E., see Gahr, M. (92) 182
Baran, H., see Richter, A. (92) 111
Barton, S.C., see Keverne, E.B. (92) 91
Bérod, A., see Rots, N.Y. (92) 164
Bolsover, S.R., see Amato, A. (92) 101
Bosy, T.Z., see Luo, J. (92) 10
Brien, J.F., see Cook, M.N. (92) 18
Brunjes, P.C. and Armstrong, A.M.
Apoptosis in the rostral migratory stream of the developing rat (92) 219

Ceresoli, G., Fuller, M.S. and Schwarcz, R. Excitotoxic lesions of the rat striatum: different responses of kynurenine pathway enzymes during ontogeny (92) 61

Chen, S., Ren, Y.Q. and Hillman, D.E.

Transient expression of *lyn* gene in Purkinje cells during cerebellar development (92)
140

Cheng, H.-L., Sullivan, K.A. and Feldman, E.L. Immunohistochemical localization of insulin-like growth factor binding protein-5 in the developing rat nervous system (92) 211

Coggeshall, R.E., Jennings, E.A. and Fitzgerald, M.

Evidence that large myelinated primary afferent fibers make synaptic contacts in lamina II of neonatal rats (92) 81

Cook, M.N., Marks, G.S., Vreman, H.J.,
Nakatsu, K., Stevenson, D.K. and Brien,
J.F.
Ontogeny of heme oxygenese activity in th

Ontogeny of heme oxygenase activity in the hippocampus, frontal cerebral cortex, and cerebellum of the guinea pig (92) 18

Cools, A.R., see Rots, N.Y. (92) 164
Coulter, C.L., Happe, H.K. and Murrin, L.C.
Postnatal development of the dopamine

Postnatal development of the dopamine transporter: a quantitative autoradiographic study (92) 172

De Kloet, E.R., see Rots, N.Y. (92) 164 De Kloet, E.R., see Sutanto, W. (92) 156 Druse, M.J., see Kim, J.-A. (92) 190 Feldman, E.L., see Cheng, H.-L. (92) 211
Fitzgerald, M., see Coggeshall, R.E. (92) 81
Fort, C., see Leconte, L. (92) 1
Fukuda, M., see Morimoto, T. (92) 77
Fuller, M.S., see Ceresoli, G. (92) 61
Fundele, R., see Keverne, E.B. (92) 91

Gahr, M. and Balaban, E.

The development of a species difference in the local distribution of brain estrogen receptive cells (92) 182

Galinovic-Schwartz, V., see Staecker, H. (92)

Gramer, M., see Richter, A. (92) 111 Grande, J.P., see Johnson, J.A. (92) 120 Guo, H., see Sekiguchi, M. (92) 31

Happe, H.K., see Coulter, C.L. (92) 172 Hashemi, T., see Tice, M.A.B. (92) 70 Hillman, D.E., see Chen, S. (92) 140

Inoue, Y., see Takayama, C. (92) 147

Jacobson, C.D., see Pearson, P.L. (92) 125
Jennings, E.A., see Coggeshall, R.E. (92) 81
Johnson, B.A., Woo, C.C., Ninomiya-Tsuboi, K. and Leon, M.
Synaptophysin-like immunoreactivity in the rat olfactory bulb during postnatal develop-

rat olfactory bulb during postnatal development and after restricted early olfactory experience (92) 24

Johnson, J.A., Grande, J.P., Windebank, A.J. and Kumar, R. 1,25-Dihydroxyvitamin D₃ receptors in developing dorsal root ganglia of fetal rats (92) 120

Keverne, E.B., Fundele, R., Narasimha, M., Barton, S.C. and Surani, M.A. Genomic imprinting and the differential roles of parental genomes in brain development (92) 91

Kida, K., see Morimoto, T. (92) 77
Kierstein, G., Obst, K. and Wahle, P.
Development and activity-dependent expression of neuronal marker proteins in organotypic cultures of rat visual cortex (92)

Kim, J.-A. and Druse, M.J.
Protective effects of maternal buspirone treatment on serotonin reuptake sites in ethanol-exposed offspring (92) 190
Kumar, R., see Johnson, J.A. (92) 120

Leconte, L., Santha, M., Fort, C., Poujeol, C., Portier, M.-M. and Simonneau, M. Cell type-specific expression of the mouse peripherin gene requires both upstream and intragenic sequences in transgenic mouse embryos (92) 1

Lefebvre, P.P., see Staecker, H. (92) 49 Leon, M., see Johnson, B.A. (92) 24 Levine, S., see Sutanto, W. (92) 156 Little, J.Z. and Teyler, T.J.

Prenatal cocaine exposure leads to enhanced long-term potentiation in region CA1 of hippocampus (92) 117

Liu, W., see Staecker, H. (92) 49
Löscher, W., see Richter, A. (92) 111
Luo, J., Bosy, T.Z., Wang, Y., Yasuda, R.P.
and Wolfe, B.B.

Ontogeny of NMDA R1 subunit protein expression in five regions of rat brain (92) 10

Malgrange, B., see Staecker, H. (92) 49
Marks, G.S., see Cook, M.N. (92) 18
McQuade, R.D., see Tice, M.A.B. (92) 70
Mishina, M., see Takayama, C. (92) 147
Moghadassi, M., see Staecker, H. (92) 49
Moonen, G., see Staecker, H. (92) 49
Morimoto, T., Fukuda, M., Aibara, Y., Nagao, H. and Kida, K.
The influence of blood gas changes on hyperthermia-induced seizures in developing rats (92) 77

Murrin, L.C., see Coulter, C.L. (92) 172

Nagao, H., see Morimoto, T. (92) 77 Nagato, Y., see Sekiguchi, M. (92) 31 Nakagawa, S., see Takayama, C. (92) 147 Nakatsu, K., see Cook, M.N. (92) 18 Narasimha, M., see Keverne, E.B. (92) 91 Ninomiya-Tsuboi, K., see Johnson, B.A. (92) 24

Nowakowski, R.S., see Sekiguchi, M. (92) 31

Obst, K., see Kierstein, G. (92) 39 Oitzl, M.S., see Rots, N.Y. (92) 164

Pearson, P.L., Anderson, L.L. and Jacobson, C.D.

The prepubertal ontogeny of galanin-like immunoreactivity in the male Meishan pig brain (92) 125

Portier, M.-M., see Leconte, L. (92) 1 Poujeol, C., see Leconte, L. (92) 1 Ren, Y.Q., see Chen, S. (92) 140 Richter, A., Löscher, W., Baran, H. and Gramer, M.

Increased levels of kynurenic acid in brains of genetically dystonic hamsters (92) 111

Rosenfeld, P., see Sutanto, W. (92) 156 Rostène, W., see Rots, N.Y. (92) 164 Roth, K.A., see Shindler, K.S. (92) 199

Rots, N.Y., Workel, J., Oitzl, M.S., Bérod, A., Rostène, W., Cools, A.R. and De Kloet,

Development of divergence in dopamine responsiveness in genetically selected rat lines is preceded by changes in pituitary-adrenal activity (92) 164

Santha, M., see Leconte, L. (92) 1
Schwarcz, R., see Ceresoli, G. (92) 61
Sekiguchi, M., Abe, H., Nagato, Y., Tanaka,
O., Guo, H. and Nowakowski, R.S.
The abnormal distribution of mossy fiber
bundles and morphological abnormalities in
hippocampal formation of dreher (dr / / dr /)
mouse (92) 31

Shindler, K.S. and Roth, K.A.

Cholera toxin binds to differentiating neurons in the developing murine basal ganglia (92) 199

Simonneau, M., see Leconte, L. (92) 1

Staecker, H., Van De Water, T.R., Lefebvre, P.P., Liu, W., Moghadassi, M., Galinovic-Schwartz, V., Malgrange, B. and Moonen, G.

NGF, BDNF and NT-3 play unique roles in the in vitro development and patterning of innervation of the mammalian inner ear (92) 49

Stevenson, D.K., see Cook, M.N. (92) 18 Sullivan, K.A., see Cheng, H.-L. (92) 211 Surani, M.A., see Keverne, E.B. (92) 91 Sutanto, W., Rosenfeld, P., De Kloet, E.R. and

Levine, S.

Long-term effects of neonatal maternal deprivation and ACTH on hippocampal mineralocorticoid and glucocorticoid receptors

Takayama, C., Nakagawa, S., Watanabe, M.,Mishina, M. and Inoue, Y.Developmental changes in expression and

distribution of the glutamate receptor channel $\delta 2$ subunit according to the Purkinje cell maturation (92) 147

Tanaka, O., see Sekiguchi, M. (92) 31 Taylor, L.A., see Tice, M.A.B. (92) 70 Teyler, T.J., see Little, J.Z. (92) 117

Tice, M.A.B., Hashemi, T., Taylor, L.A. and McQuade, R.D.

Distribution of muscarinic receptor subtypes in rat brain from postnatal to old age (92) 70

Van De Water, T.R., see Staecker, H. (92) 49 Vreman, H.J., see Cook, M.N. (92) 18

Wahle, P., see Kierstein, G. (92) 39 Wang, Y., see Luo, J. (92) 10 Watanabe, M., see Takayama, C. (92) 147 Windebank, A.J., see Johnson, J.A. (92) 120 Wolfe, B.B., see Luo, J. (92) 10 Woo, C.C., see Johnson, B.A. (92) 24 Workel, J., see Rots, N.Y. (92) 164

Yasuda, R.P., see Luo, J. (92) 10